



SOLUTIONS for Meeting room 4-6 person size 4x4 meters.

RECOMMENDED PRODUCTS

- | | |
|--------------------|---|
| 1. GMX-48TB | Gooseneck microphone |
| 2. AEC-2000 | Professional automatic echo canceller |
| 3. DAM-5002 | Digital auto anti-Feedback suppressor & Auto mixer |
| 4. D-2250 | Power amplifier |
| 5. VC-4K Pro(120°) | 4K Ultra HD Ai Smart Auto Framing ePTZ Digital Zoom |
| 6. SVS-62W | 6.5-inch two-way surface-mount speaker |
| 7. SE-812 | Power sequence controller |


EXAMPLE CONNECTION DIAGRAM

VC-4K Pro (120°) 4K Ultra HD Ai Smart Auto Framing ePTZ Digital Zoom



KEY

- | | |
|-------------|---------------------|
| 2. AEC-2000 | 1. GMX-48TB |
| 3. DAM-5002 | 5. VC-4K Pro (120°) |
| 4. D-2250 | 6. SVS-62W |
| 7. SE-812 | |





SOLUTIONS for Meeting room 6-8 person size 4x6 meters.

RECOMMENDED PRODUCTS

- | | |
|---------------------|---|
| 1. WCM-440 Series | Receiver Wireless conference microphone |
| 2. AEC-2000 | Professional automatic echo canceller |
| 3. Mixer | |
| 4. D-2250 | Power amplifier |
| 5. VC-4K Pro (120°) | 4K Ultra HD Ai Smart Auto Framing ePTZ Digital Zoom |
| 6. SVS-62W | 6.5-inch two-way surface-mount speaker |
| 7. SE-812 | Power sequence controller |


EXAMPLE CONNECTION DIAGRAM

VC-4K Pro (120°) 4K Ultra HD Ai Smart Auto Framing ePTZ Digital Zoom



KEY

- | | |
|------------------------|---------------------------|
| 1. WCM-440R (Receiver) | 1. WCM-440D (Transmitter) |
| 2. AEC-2000 | 5. VC-4K Pro (120°) |
| 3. Mixer | 6. SVS-62W |
| 4. D-2250 | |
| 7. SE-812 | |






SOLUTIONS

for Seminar & Teaching in house with online size 8x10 meters.

RECOMMENDED PRODUCTS

- | | |
|-------------|---|
| 1. SU-990D | Digital Wireless Microphones |
| 2. AEC-2000 | Professional automatic echo canceller |
| 3. SA-150BT | 5 ZONES Mixing Amplifier 150Watts |
| 4. HD-400T | HD-400T Auto Tracking, HD PTZ Camera Digital Zoom |
| 5. SVS-82W | 8-inch two-way surface-mount speaker |
| 6. SE-812 | Power sequence controller |


EXAMPLE CONNECTION DIAGRAM



KEY

- SU-990D (Receiver)
- AEC-2000
- SA-150BT
- SE-812

- SU-990D (Transmitter)
- HD-400T
- SVS-82W





SOLUTIONS

for Meeting room 8-10 person size 8x8 meters.

RECOMMENDED PRODUCTS


- | | |
|--------------------|--|
| 1. DWS-1000 Series | Digital wireless conference system |
| 2. AEC-2000 | Professional automatic echo canceller |
| 3. DAM-5002 | Digital auto anti-Feedback suppressor & Auto mixer |
| 4. SA-300BT | 5 ZONES Mixing Amplifier 300Watts |
| 5. VC-100HU | HD Video conference PTZ camera digital zoom |
| 6. SVS-82W | 8-inch two-way surface-mount speaker |
| 7. SE-812 | Power sequence controller |

EXAMPLE CONNECTION DIAGRAM



KEY

- | | |
|--------------------------------|----------------------------------|
| 1. DWS-1000M (Controller Unit) | 1. DWS-1000C/D (Discussion Unit) |
| 2. AEC-2000 | 5. VC-100HU |
| 3. DAM-5002 | 6. SVS-82W |
| 4. SA-300BT | |
| 7. SE-812 | |






SOLUTIONS Support camera tracking for Meeting room 10-12 person size 8x12 meters.

RECOMMENDED PRODUCTS


- 1. DWS-2000 Series Digital wireless conference system
- 2. AEC-2000 Professional automatic echo canceller
- 3. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 4. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 5. VC-100HU HD Video conference PTZ camera digital zoom
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SE-812 Power sequence controller

EXAMPLE CONNECTION DIAGRAM



KEY

- 1. DWS-2000M (Controller Unit)
- 2. AEC-2000
- 3. DAM-5002
- 4. SA-300BT
- 5. VC-100HU
- 6. SVS-82W
- 1. DWS-2000C/D (Discussion Unit)






SOLUTIONS Support camera tracking for Meeting room 10-20 person size 12x24 meters.

RECOMMENDED PRODUCTS


- 1. DCS-2000 Series Digital conference system
- 2. AEC-2000 Professional automatic echo canceller
- 3. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 4. SA-300BT 5 ZONES Mixing Amplifier
- 5. HD-400U High Definition Conference Camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SE-812 Power sequence controller

EXAMPLE CONNECTION DIAGRAM



KEY

- 1. DCS-2000M (Controller Unit)
- 2. AEC-2000
- 3. DAM-5002
- 4. SA-300BT
- 5. HD-400U
- 6. SVS-82W
- 1. DCS-2000C/D (Discussion Unit)






SOLUTIONS Support camera tracking for Meeting room 10-12 person size 8x12 meters.

RECOMMENDED PRODUCTS


- 1. DCW-9900 Series Digital wireless conference system
- 2. AEC-2000 Professional automatic echo canceller
- 3. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 4. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 5. HD-400U High definition conference camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SE-812 Power sequence controller

EXAMPLE CONNECTION DIAGRAM



KEY

- 1. DCW-9900M (Controller Unit)
- 2. AEC-2000
- 3. DAM-5002
- 4. SA-300BT
- 5. HD-400U
- 6. SVS-82W
- 7. DCW-9900C/D (Discussion Unit)






SOLUTIONS Support camera tracking for Meeting room 10-20 person size 12x24 meters.

RECOMMENDED PRODUCTS


- 1. DCW-9900 Series Digital wireless conference system
- 2. VHSW-4681 HDMI Switcher 8 in / 1 out : 4K@60Hz
- 3. AEC-2000 Professional automatic echo canceller
- 4. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 5. HD-400U High definition conference camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 8. SE-812 Power sequence controller

EXAMPLE CONNECTION DIAGRAM



KEY

- 1. DCW-9900 (Controller Unit)
- 2. VHSW-4681
- 3. AEC-2000
- 4. DAM-5002
- 7. SA-300BT
- 8. SE-812
- 1. DCW-9900C/D (Discussion Unit)
- 5. HD-400U
- 6. SVS-82W






SOLUTIONS Support camera tracking for Meeting room 10-12 person size 8x12 meters.

RECOMMENDED PRODUCTS


- 1. DCS-990 Series Digital conference system unit with recorder
- 2. AEC-2000 Professional automatic echo canceller
- 3. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 4. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 5. HD-400U High definition conference camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SE-812 Power sequence controller

EXAMPLE CONNECTION DIAGRAM



KEY

- 1. DCS-990M (Controller Unit)
- 2. AEC-2000
- 3. DAM-5002
- 4. SA-300BT
- 5. HD-400U
- 6. SVS-82W
- 1. DCS-990C/D (Discussion Unit)






SOLUTIONS Support camera tracking for Meeting room 10-20 person size 12x24 meters.

RECOMMENDED PRODUCTS

- 1. DCS-990 Series Digital conference system unit with recorder
- 2. VHSW-4681 HDMI Switcher 8 in / 1 out : 4K@60Hz
- 3. AEC-2000 Professional automatic echo canceller
- 4. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 5. HD-400U High definition conference camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 8. SE-812 Power sequence controller

EXAMPLE CONNECTION DIAGRAM



KEY

- 1. DCS-990 (Controller Unit)
- 2. VHSW-4681
- 3. AEC-2000
- 4. DAM-5002
- 7. SA-300BT
- 8. SE-812
- 1. DCS-990C/D (Discussion Unit)
- 5. HD-400U
- 6. SVS-82W

