



## SOLUTIONS for Meeting room 4-6 person size 4x4 meters.

### RECOMMENDED PRODUCTS

- |                    |   |
|--------------------|---|
| 1. GMX-48TB        | Gooseneck microphone                                |
| 2. AEC-2000        | Professional automatic echo canceller               |
| 3. DAM-5002        | Digital auto anti-Feedback suppressor & Auto mixer  |
| 4. D-2250          | Power amplifier                                     |
| 5. VC-4K Pro(120°) | 4K Ultra HD Ai Smart Auto Framing ePTZ Digital Zoom |
| 6. SVS-62W         | 6.5-inch two-way surface-mount speaker              |
| 7. SE-812          | Power sequence controller                           |


### EXAMPLE CONNECTION DIAGRAM

VC-4K Pro (120°) 4K Ultra HD Ai Smart Auto Framing ePTZ Digital Zoom



### KEY

- |             |                     |
|-------------|---------------------|
| 2. AEC-2000 | 1. GMX-48TB         |
| 3. DAM-5002 | 5. VC-4K Pro (120°) |
| 4. D-2250   | 6. SVS-62W          |
| 7. SE-812   |                     |






## SOLUTIONS

for Meeting room 8-10 person size 8x8 meters.


### RECOMMENDED PRODUCTS

- |                    |  |
|--------------------|--|
| 1. DWS-1000 Series | Digital wireless conference system                 |
| 2. AEC-2000        | Professional automatic echo canceller              |
| 3. DAM-5002        | Digital auto anti-Feedback suppressor & Auto mixer |
| 4. SA-300BT        | 5 ZONES Mixing Amplifier 300Watts                  |
| 5. VC-100HU        | HD Video conference PTZ camera digital zoom        |
| 6. SVS-82W         | 8-inch two-way surface-mount speaker               |
| 7. SE-812          | Power sequence controller                          |

### EXAMPLE CONNECTION DIAGRAM



- |            |                                |                                  |
|------------|--------------------------------|----------------------------------|
| <b>KEY</b> | 1. DWS-1000M (Controller Unit) | 1. DWS-1000C/D (Discussion Unit) |
|            | 2. AEC-2000                    | 5. VC-100HU                      |
|            | 3. DAM-5002                    | 6. SVS-82W                       |
|            | 4. SA-300BT                    |                                  |
|            | 7. SE-812                      |                                  |








**SOLUTIONS** Support camera tracking for Meeting room 10-12 person size 8x12 meters.

**RECOMMENDED PRODUCTS**


- 1. DWS-2000 Series Digital wireless conference system
- 2. AEC-2000 Professional automatic echo canceller
- 3. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 4. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 5. VC-100HU HD Video conference PTZ camera digital zoom
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SE-812 Power sequence controller

**EXAMPLE CONNECTION DIAGRAM**



**KEY**

- 1. DWS-2000M (Controller Unit)
- 2. AEC-2000
- 3. DAM-5002
- 4. SA-300BT
- 5. VC-100HU
- 6. SVS-82W
- 1. DWS-2000C/D (Discussion Unit)






**SOLUTIONS** Support camera tracking for Meeting room 10-20 person size 12x24 meters.

RECOMMENDED PRODUCTS


- 1. DCS-2000 Series Digital conference system
- 2. AEC-2000 Professional automatic echo canceller
- 3. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 4. SA-300BT 5 ZONES Mixing Amplifier
- 5. HD-400U High Definition Conference Camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SE-812 Power sequence controller

EXAMPLE CONNECTION DIAGRAM



KEY

- 1. DCS-2000M (Controller Unit)
- 2. AEC-2000
- 3. DAM-5002
- 4. SA-300BT
- 5. HD-400U
- 6. SVS-82W
- 1. DCS-2000C/D (Discussion Unit)







**SOLUTIONS** Support camera tracking for Meeting room 10-12 person size 8x12 meters.


**RECOMMENDED PRODUCTS**

- 1. DCW-9900 Series Digital wireless conference system
- 2. AEC-2000 Professional automatic echo canceller
- 3. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 4. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 5. HD-400U High definition conference camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SE-812 Power sequence controller

**EXAMPLE CONNECTION DIAGRAM**



- KEY**
- 1. DCW-9900M (Controller Unit)
  - 2. AEC-2000
  - 3. DAM-5002
  - 4. SA-300BT
  - 7. SE-812
  - 1. DCW-9900C/D (Discussion Unit)
  - 5. HD-400U
  - 6. SVS-82W






**SOLUTIONS** Support camera tracking for Meeting room 10-20 person size 12x24 meters.


**RECOMMENDED PRODUCTS**

- 1. DCW-9900 Series Digital wireless conference system
- 2. VHSW-4681 HDMI Switcher 8 in / 1 out : 4K@60Hz
- 3. AEC-2000 Professional automatic echo canceller
- 4. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 5. HD-400U High definition conference camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 8. SE-812 Power sequence controller

**EXAMPLE CONNECTION DIAGRAM**



- KEY**
- 1. DCW-9900 (Controller Unit)
  - 2. VHSW-4681
  - 3. AEC-2000
  - 4. DAM-5002
  - 7. SA-300BT
  - 8. SE-812
  - 1. DCW-9900C/D (Discussion Unit)
  - 5. HD-400U
  - 6. SVS-82W








**SOLUTIONS** Support camera tracking for Meeting room 10-12 person size 8x12 meters.


**RECOMMENDED PRODUCTS**

- 1. DCS-990 Series Digital conference system unit with recorder
- 2. AEC-2000 Professional automatic echo canceller
- 3. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 4. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 5. HD-400U High definition conference camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SE-812 Power sequence controller

**EXAMPLE CONNECTION DIAGRAM**



- KEY**
- 1. DCS-990M (Controller Unit)
  - 2. AEC-2000
  - 3. DAM-5002
  - 4. SA-300BT
  - 5. HD-400U
  - 6. SVS-82W
  - 1. DCS-990C/D (Discussion Unit)
  - 5. HD-400U
  - 6. SVS-82W






**SOLUTIONS** Support camera tracking for Meeting room 10-20 person size 12x24 meters.

**RECOMMENDED PRODUCTS**

- 1. DCS-990 Series Digital conference system unit with recorder
- 2. VHSW-4681 HDMI Switcher 8 in / 1 out : 4K@60Hz
- 3. AEC-2000 Professional automatic echo canceller
- 4. DAM-5002 Digital auto anti-Feedback suppressor & Auto mixer
- 5. HD-400U High definition conference camera
- 6. SVS-82W 8-inch two-way surface-mount speaker
- 7. SA-300BT 5 ZONES Mixing Amplifier 300Watts
- 8. SE-812 Power sequence controller

**EXAMPLE CONNECTION DIAGRAM**



**KEY**

- 1. DCS-990 (Controller Unit)
- 2. VHSW-4681
- 3. AEC-2000
- 4. DAM-5002
- 7. SA-300BT
- 8. SE-812
- 1. DCS-990C/D (Discussion Unit)
- 5. HD-400U
- 6. SVS-82W

